L Number	Hits	Search Text	DB	Time stamp
-	218	725/34,35,46.ccls. and @ay<2001	USPAT;	2004/05/05 16:38
			US-PGPUB	
-	259	725/34,35,46,53.ccls. and @ay<2001	USPAT;	2004/05/05 16:55
			US-PGPUB	
-	70	725/34,35,46,53.ccls. and @ay<2001 and (map\$4)	USPAT;	2004/05/07 09:11
			US-PGPUB	
_	3	("5878222" "5973683" "6005597").pn.	USPAT;	2004/05/05 17:11
			US-PGPUB	
_	46	725/34,35,46,53.ccls. and @ay<2001 and ((match\$3	USPAT:	2004/05/07 11:30
	,,,	interrela\$4 correlat\$4) near8 (profile\$2 preferenc\$3))	US-PGPUB	
_	2	725/34,35,46,53.ccls. and @ay<2001 and ((match\$3	USPAT;	2004/05/06 11:27
	_	interrela\$4 correlat\$4) near8 (profile\$2 preferenc\$3)) near10	US-PGPUB	200 1/00/00 11:2/
		(map\$4)	00, 0. 00	
_	3	725/\$.ccls. and @ay<2001 and ((match\$3 interrela\$4	USPAT:	2004/05/06 09:22
	5	correlat\$4) near8 (profile\$2 preferenc\$3)) near10 (map\$4)	US-PGPUB	200 1/00/00 00:22
	3	725/\$.ccls. and @ay<2001 and ((match\$3 interrela\$4	USPAT;	2004/05/06 09:22
-	3	correlat\$4) near8 (profile\$2 preferenc\$3)) near10 (map\$4	US-PGPUB	2004/03/00 03.22
		chart\$4)	00-F GF 0D	
	ا ۾ ا		IIQDAT:	2004/05/06 10:01
-	9	725/34,35,46,53.ccls. and @ay<2001 and ((path\$3) near8	USPAT;	2004/05/00 10:01
	00	(profile\$2 preferenc\$3))	US-PGPUB	2004/05/06 40:20
-	29	725/34,35,46,53.ccls. and @ay<2001 and ((path\$3	USPAT;	2004/05/06 10:30
		address\$3 location\$3) near8 (profile\$2 preferenc\$3))	US-PGPUB	0004/05/00 40:44
-	34	725/34,35,46,53.ccls. and @ay<2001 and ((path\$3	USPAT;	2004/05/06 10:44
		address\$3 location\$3) near8 (profile\$2 preferenc\$3	US-PGPUB	
		attribute\$2))		
-	141	725/\$.ccls. and @ay<2001 and ((path\$3 address\$3	USPAT;	2004/05/06 11:20
		location\$3) near8 (profile\$2 preferenc\$3 attribute\$2))	US-PGPUB	
-	15	725/45,46.ccls. and @ay<2001 and ((path\$3 address\$3	USPAT;	2004/05/06 11:20
		location\$3) near8 (profile\$2 preferenc\$3 attribute\$2))	US-PGPUB	
-	1	725/45,46.ccls. and @ay<2001 and ((match\$3 interrela\$4	USPAT;	2004/05/06 11:51
		correlat\$4) near8 (profile\$2 preferenc\$3)) near10 (map\$4)	US-PGPUB	
-	36	725/45,46.ccls. and @ay<2001 and ((match\$3 interrela\$4	USPAT;	2004/05/06 12:28
		correlat\$4) near8 (profile\$2 preferenc\$3))	US-PGPUB	
_	1	5861906.pn.	USPAT;	2004/05/06 12:27
		·	US-PGPUB	
-	163	725/45,46.ccls. and @ay<2001	USPAT;	2004/05/06 12:28
			US-PGPUB]
_	52	725/45,46.ccls. and @ay<2001 and (map\$4)	USPAT;	2004/05/06 12:37
		(, , ,	US-PGPUB	
_	63	725/45,46,53.ccls. and @ay<2001 and (map\$4)	USPAT;	2004/05/06 12:46
		The service of the se	US-PGPUB	
1 _	19	(Legall Maze ken).in. and 725/\$.ccls.	USPAT:	2004/05/06 12:47
	'	Logan mare Kenyini ana reerasale.	US-PGPUB	
l _	27	725/32-36.ccls. and @ay<2001 and ((match\$3 interrela\$4	USPAT;	2004/05/06 12:49
_		correlat\$4) near8 (profile\$2 preferenc\$3))	US-PGPUB	
_	10	725/45.ccls. and @ay<2001 and ((match\$3 interrela\$4	USPAT;	2004/05/06 16:31
_	"	correlat\$4) near8 (profile\$2 preferenc\$3))	US-PGPUB	200 1,00,00 10.01
1	61	725/45.ccls. and @ay<2001 and categor\$3	USPAT;	2004/05/06 16:31
-	"	1 /20170.0013. and way 2001 and categoris	US-PGPUB	200-700700 10.01
	_	725/34,35,46,53.ccls. and @ay<2001 and (condition\$3 near5	USPAT;	2004/05/06 17:01
-	9	1	US-PGPUB	2004/03/00 17.01
		operat\$3)		2004/05/06 46:55
-	411	salce.xa.	USPAT;	2004/05/06 16:55
		705/ft as !-	US-PGPUB	2004/05/06 46:55
-	19	salce.xa. and 725/\$.ccls.	USPAT;	2004/05/06 16:55
			US-PGPUB	0004/05/00 47 05
-	12	725/34,35,46,53.ccls. and @ay<2001 and (search\$1 near5	USPAT;	2004/05/06 17:05
	1	operat\$3)	US-PGPUB	0004/07/05 /= ==
-	28	725/34,35,46,53.ccls. and @ay<2001 and ((search\$1 logic\$2	USPAT;	2004/05/06 17:05
		boolean\$2) near5 operat\$3)	US-PGPUB	
[-	93	725/34,35,46,53.ccls. and @ay<2001 and (service\$ near8	USPAT;	2004/05/07 09:12
		provid\$3)	US-PGPUB	
-	88	725/34,35,46,53.ccls. and @ay<2001 and (service\$ near5	USPAT;	2004/05/07 09:12
I		provid\$3)	US-PGPUB	l

		_		
-	10	725/34,35,46,53.ccls. and @ay<2001 and ((service\$ near5 provid\$3) near5 select\$2)	USPAT; US-PGPUB	2004/05/07 09:14
-	128	725/\$.ccls. and @ay<2001 and ((service\$ near5 provid\$3) near5 select\$2)	USPAT; US-PGPUB	2004/05/07 09:15
-	1	725/\$.ccls. and @ay<2001 and ((service\$ near5 provid\$3) near5 select\$2 near5 (level\$2 or bandwidth\$2))	USPAT; US-PGPUB	2004/05/07 09:16
-	115	725/\$.ccls. and @ay<2001 and ((service\$ near5 provid\$3) near5 (level\$2 or bandwidth\$2))	USPAT; US-PGPUB	2004/05/07 09:28
-	73	725/\$.ccls. and @ay<2001 and ((service\$ near5 provid\$3) near8 (bandwidth\$2))	USPAT; US-PGPUB	2004/05/07 09:40
-	18	legall.in.	USPAT; US-PGPUB	2004/05/07 09:40
-	1	legall.in. and 725/\$.ccls.	USPAT; US-PGPUB	2004/05/07 09:40
-	0	725/34,35,46,53.ccls. and @ay<2001 and (string\$1 near5 case\$1 near5 (sensitive\$1 or insensitive\$1))	USPAT; US-PGPUB	2004/05/07 12:33
-	78	@ay<2001 and (string\$1 near5 case\$1 near5 (sensitive\$1 or insensitive\$1))	USPAT; US-PGPUB	2004/05/07 11:40
-	0	@ay<2001 and ((sub near2 string\$1) near5 case\$1 near5 (sensitive\$1 or insensitive\$1))	USPAT; US-PGPUB	2004/05/07 11:41
-	8	@ay<2001 and ((substring\$1) near5 case\$1 near5 (sensitive\$1 or insensitive\$1))	USPAT; US-PGPUB	2004/05/07 11:47
-	1	@ay<2001 and ((substring\$1) near5 case\$1 near5 (sensitive\$1))	USPAT; US-PGPUB	2004/05/07 11:47
-	5	725/34,35,46,53.ccls. and @ay<2001 and (value\$ near5 approximat\$3)	USPAT; US-PGPUB	2004/05/07 12:10
-	72	725/\$.ccls. and @ay<2001 and (value\$ near5 approximat\$3)	USPAT; US-PGPUB	2004/05/07 12:11
-	3	725/\$.ccls. and @ay<2001 and ((value\$ near5 approximat\$3) near10 (search\$1 test\$1 compare\$3))	USPAT; US-PGPUB	2004/05/07 12:12
-	7	725/\$.ccls. and @ay<2001 and ((value\$ near5 approximat\$3) same (search\$1 test\$1 compare\$3))	USPAT; US-PGPUB	2004/05/07 12:13
-	104	@ay<2001 and ((value\$ near5 approximat\$3) near5 (search\$1 test\$1 compare\$3)) and (video\$1)	USPAT; US-PGPUB	2004/05/07 12:16
-	658	@ay<2001 and ((value\$ near5 approximat\$3) near5 (search\$1 test\$1 compare\$3)) and (data\$1)	USPAT; US-PGPUB	2004/05/07 12:16
-	О	725/34,35,46,53.ccls. and @ay<2001 and (MAX near10 boolean\$1)	USPAT; US-PGPUB	2004/05/07 12:33
-	23	@ay<2001 and (MAX near10 boolean\$1)	USPAT; US-PGPUB	2004/05/07 12:34
-	0	725/\$.ccls. and @ay<2001 and (MAX near10 boolean\$1)	USPAT; US-PGPUB	2004/05/07 12:34
-	72	725/\$.ccls. and @ay<2001 and (boolean\$1)	USPAT; US-PGPUB	2004/05/07 12:38
	0	725/\$.ccls. and @ay<2001 and (boolean\$1 near10 MAX)	USPAT; US-PGPUB	2004/05/07 12:45
-	23	@ay<2001 and (boolean\$1 near10 MAX)	USPAT; US-PGPUB	2004/05/07 12:39
-	10	@ay<2001 and (boolean\$1 near10 MAX) and (search\$4)	USPAT; US-PGPUB	2004/05/07 12:44
-	0	@ay<2001 and (boolean\$1 near10 CAND) and (search\$4)	USPAT; US-PGPUB	2004/05/07 12:44
-	0	725/\$.ccls. and @ay<2001 and (boolean\$1 near10 CAND)	USPAT; US-PGPUB	2004/05/07 12:56
-	1	725/\$.ccls. and @ay<2001 and (CAND)	USPAT; US-PGPUB	2004/05/07 12:47
-	371	@ay<2001 and (CAND)	USPAT; US-PGPUB	2004/05/07 12:48
-	65	@ay<2001 and (CAND) and (search\$4)	USPAT; US-PGPUB	2004/05/07 12:50
-	67	@ay<2001 and (CAND) and (search\$4 quer\$3)	USPAT; US-PGPUB	2004/05/07 12:51
-	0	725/\$.ccls. and @ay<2001 and (boolean\$1 near10 FREQ)	USPAT; US-PGPUB	2004/05/07 13:02
	L		I DO-LOLOB	

-	0	@ay<2001 and (boolean\$1 near10 FREQ)	USPAT;	2004/05/07 12:57
			US-PGPUB	
-	0	725/\$.ccls. and @ay<2001 and (FREQ same (search\$3	USPAT;	2004/05/07 13:00
		quer\$4))	US-PGPUB	
-	17	725/\$.ccls. and @ay<2001 and (FREQ and (search\$3	USPAT;	2004/05/07 13:04
		quer\$4))	US-PGPUB	
-	54	@ay<2001 and (FREQ same (search\$3 quer\$4))	USPAT;	2004/05/07 13:00
]		US-PGPUB	:
-	0	725/\$.ccls. and @ay<2001 and (boolean\$1 near10 RATIO)	USPAT;	2004/05/07 13:02
			US-PGPUB	
-	19	@ay<2001 and (boolean\$1 near10 RATIO)	USPAT;	2004/05/07 13:02
			US-PGPUB	
_	244	725/\$.ccls. and @ay<2001 and (ratio and (search\$3 quer\$4))	USPAT;	2004/05/07 13:04
			US-PGPUB	
_	23	725/\$.ccls. and @ay<2001 and (ratio same (search\$3	USPAT:	2004/05/07 13:05
}		quer\$4))	US-PGPUB	
 _	0	725/\$.ccls. and @ay<2001 and (SAND same (search\$3	USPAT;	2004/05/07 13:05
		quer\$4))	US-PGPUB	
_	191	@ay<2001 and (SAND same (search\$3 quer\$4))	USPAT:	2004/05/07 13:05
	'0'	Gay 2001 and (07 the same (00alongs quality))	US-PGPUB	
_	0	@ay<2001 and ((boolean\$1 near10 SAND) same (search\$3	USPAT;	2004/05/07 13:05
-	"	quer\$4))	US-PGPUB	200 1700701 10.00
	5	@ay<2001 and ((boolean\$1 same SAND))	USPAT:	2004/05/07 13:36
-	١	Way 1200 and ((booleans) Same OAND))	US-PGPUB	2004/00/01 10:00
	0	725/\$.ccls. and @ay<2001 and ((boolean\$1 same fuzzy))	USPAT;	2004/05/07 13:37
-	1	12019.0015. and @ay 2001 and ((booleany 1 same ruzzy))	US-PGPUB	2004/00/01 10:01
	210	@ay<2001 and ((boolean\$1 same fuzzy))	USPAT;	2004/05/07 13:42
-	210	(booleans) same (uzzy))	US-PGPUB	2004/05/01 15.42
	4000	707/3-6.ccls. and @ay<2001	USPAT:	2004/05/07 13:44
-	4000	10115-0.0018. and @ay<2001	US-PGPUB	2004/05/01 15.44
İ	564	707/3-6.ccls. and @ay<2001 and (normali\$3)	USPAT;	2004/05/07 13:56
-	504	707/3-0.ccis. and way-2001 and (normaliss)	US-PGPUB	2004/03/07 13.30
	98	707/3-6.ccls. and @ay<2001 and (normali\$3 same	USPAT:	2004/05/07 14:09
~	90	· · · · · · · · · · · · · · · · · · ·	US-PGPUB	2004/03/07 14.09
	40	frequen\$4) 707/3-6.ccls. and @ay<2001 and (normali\$3 same frequen\$4	USPAT;	2004/05/07 14:53
-	42		US-PGPUB	2004/03/07 14.33
	0.5	and boolean\$1)		2004/05/07 14:55
-	85	707/3-6.ccls. and @ay<2001 and (match\$3 same frequen\$4	USPAT; US-PGPUB	2004/05/07 14.55
	200	and boolean\$1)	ł	2004/05/07 14:50
-	36	707/3-6.ccls. and @ay<2001 and (match\$3 same frequen\$4	USPAT;	2004/05/07 14:59
	400	and boolean\$1 same result\$2)	US-PGPUB	2004/05/07 45:02
1 -	126	707/3-6.ccls. and @ay<2001 and (match\$3 same number\$2	USPAT;	2004/05/07 15:02
		and boolean\$1 same result\$2)	US-PGPUB	2004/05/07 45:40
-	20	707/3-6.ccls. and @ay<2001 and (match\$3 same number\$2	USPAT;	2004/05/07 15:48
		same boolean\$1 same result\$2)	US-PGPUB	2004/05/07 46:02
-	141	707/3-6.ccls. and @ay<2001 and (search\$2 same	USPAT;	2004/05/07 16:03
		common\$2 same (node\$1 tree\$1 director\$3))	US-PGPUB	0004/05/07 40:04
-	2	707/3-6.ccls. and @ay<2001 and ("fuzzy and")	USPAT;	2004/05/07 16:04
1			US-PGPUB	